

N62661.AR.003096  
NS NEWPORT  
5090.3a

TRANSMITTAL LETTER REGARDING DRAFT FINAL EXPLANATION OF SIGNIFICANT  
DIFFERENCES SITE 9 OPERABLE UNIT 3 (OU 3) OLD FIRE FIGHTER TRAINING AREA NS  
NEWPORT RI  
5/2/2014  
TETRA TECH



C-NAVY-05-14-5343W

May 2, 2014

Project Number 112G02921

Ms. Kymberlee Keckler, Remedial Project Manager  
U.S. EPA Region I  
5 Post Office Square, Suite 100  
Boston, Massachusetts 02114-3912

Ms. Pamela Crump, Remedial Project Manager  
Rhode Island Department of Environmental Management  
235 Promenade Street  
Providence RI, 02908-5767

Reference: CLEAN Contract No. N62470-08-D-1001  
Contract Task Order No. WE65


Subject: Transmittal of Draft Final Explanation of Significant Differences  
Site 09 [OU3], Old Fire Fighting Training Area  
Naval Station Newport, Newport Rhode Island

Dear Ms. Keckler, Ms. Crump:

On behalf of Ms. Winoma Johnson, US Navy NAVFAC Mid-Atlantic, for your review enclosed are two copies of the Draft Final Explanation of Significant Differences (ESD) prepared for the site referenced above. This ESD addresses a change in the remedy groundwater performance standard for arsenic. It is requested that you provide any comments on Draft Final ESD by June 4, 2014. The electronic version of this document has been distributed by email.

Questions and comments on this material should be provided to Ms. Winoma Johnson, NAVFAC Mid-Atlantic.

Very truly yours,

  
James R. Forreli, P.E.  
Project Manager

Enclosures

cc: W. Johnson, NAVFAC (w/encl. - 2)  
P. Steinberg, Mabbett Associates (w/encl. - 2)  
D. Ward, NAVSTA (w/encl. - 2)  
S. Parker, Tetra Tech (w/encl. - 1)  
G. Glenn, Tetra Tech (w/o encl.)  
Post Decision File, RDM Data Manager, NAVFAC (w/o encl.)  
File 112G2921-8.0 (w/encl.), 3.1 (w/o encl.)